



SIRIM QAS INTERNATIONAL SDN. BHD. (410334-X)

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 60-3-5544 6400 Faks : 60-3-5544 6797 www.sirim-qas.com.my

File No : P5-008664
Licence No : PC001580

Date : 18/02/2022

THE SIAM INDUSTRIAL WIRE CO., LTD
160 MOO 11, T. NONGLALOK
21120 BANKHAI
RAYONG PROVINCE, THAILAND

Attn : MR PINYO SUNOPAK

Tel No : 089-9363559
Fax No : 662-9379968

Dear Sir/Madam,

Product Certification Licence

Product : PRESTRESSING STEEL - COLD-DRAWN WIRE
Standard : MS 1138 : PART 2 : 2007

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MOHD NOR FADHLI BIN MOHAMMAD
Contact No : 603-5544 5976
Email : mnfadhli@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

THE SIAM INDUSTRIAL WIRE CO., LTD
160 MOO 11, T. NONGLALOK
21120 BANKHAI
RAYONG PROVINCE, THAILAND

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

PRESTRESSING STEEL - COLD-DRAWN WIRE

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS 1138 : PART 2 : 2007



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

THE SIAM INDUSTRIAL WIRE CO., LTD



Trade Mark : SIW
Model : NOMINAL TENSILE STRENGTH = 1770 N/mm²
Rating : RELAXATION CLASS = RELAX 2 (LOW); REMARK = EXCLUDING FATIGUE TEST
Type : WIRE SURFACE = I (2 INDENT & CHEVRON)
Size : NOMINAL DIAMETER (mm)= 4

Trade Mark : SIW
Model : NOMINAL TENSILE STRENGTH = 1670 N/mm²
Rating : RELAXATION CLASS = RELAX 2 (LOW); REMARK = EXCLUDING FATIGUE TEST
Type : WIRE SURFACE = I (4 INDENT & CHEVRON)
Size : NOMINAL DIAMETER (mm)= 7

Trade Mark : SIW
Model : NOMINAL TENSILE STRENGTH = 1670 N/mm²
Rating : RELAXATION CLASS = RELAX 2 (LOW); REMARK = EXCLUDING FATIGUE TEST
Type : WIRE SURFACE = P (PLAIN)
Size : NOMINAL DIAMETER (mm)= 7

Trade Mark : SIW
Model : NOMINAL TENSILE STRENGTH = 1770 N/mm²
Rating : RELAXATION CLASS = RELAX 2 (LOW); REMARK = EXCLUDING FATIGUE TEST
Type : WIRE SURFACE = I (2 INDENT, 4 INDENT & CHEVRON)
Size : NOMINAL DIAMETER (mm)= 5

Trade Mark : SIW
Model : NOMINAL TENSILE STRENGTH = 1770 N/mm²
Rating : RELAXATION CLASS = RELAX 2 (LOW); REMARK = EXCLUDING FATIGUE TEST
Type : WIRE SURFACE = P (PLAIN)
Size : NOMINAL DIAMETER (mm)= 4, 5

Trade Mark : SIW
Model : NOMINAL TENSILE STRENGTH = 1770 N/mm²
Rating : REMARK = EXCLUDING FATIGUE TEST
Type : WIRE SURFACE = C (CRIMPED)
Size : NOMINAL DIAMETER (mm)= 4, 5

End of page